

HUDSON SHARP 750SUP

POUCH MAKING MACHINE 2003



Year : 2003

Machine width : 750 mm

Machine length : 17 meters

Max roll width :1500 mm

Max roll diameter: 800 mm

Cross sealer : 2 hot sealer and 1 cool sealer

- Cross seal width : 710 mm

Longitudinal sealer :2 heat sealer and 2 cool sealer

- Zipper seal width : 700 mm
- Gusset seal width : 1000 mm

Production speed : 100 cpm *Changeable to thickness and pouch dimensions


Materials : Laminated films of all kinds

Key features

- One lane production
- Guillotine cut off
- Servo-driven sealing
- Zipper crush
- Zipper unwinder
- Trim winder
- Hanger Hole Punches
- Round Corner Punch
- Web guiding

Pouch types:



- Stand up pouch
- Stand up pouch with zipper
- 3 side seal pouch
- 3 side seal pouch with zipper




Stand-up Pouch



Stand-up Pouch with Zipper



3 Side Seal Pouch



3 Side Seal with Zipper

Pouch dimensions:

Stand up pouches:

- Min :100 mm x 145mm *(with zipper, the minimum distance between bottom of the pouch and the center of the zipper must be 170 mm)
- Max: 500 mm x 600 mm
- Gusset min: 40 mm max: 80 mm

3 side seal pouches

- Min : 50 mm x 150 mm
- Max : 570 mm x 700 mm

